

Green Analytics NY, LLC
401 North Middletown Road, Building 60B
Pearl River, NY 10965
www.greenanalyticsllc.com
License #s: OCMPPCL-00013
ISO 17025 Certificate No.: 4356.09

Sample Result: PASS

Date Reported:	7/29/2024	Sample ID:	20240723-OMOLAU-002
Client Name:	OMO Labs, LLC	Sample Name:	B-OMOL-NO-FIBL23-10THC-APG-0003
Sampling Location:	Bridgehampton, New York	Sample Matrix:	Edible
Contact Name:	Nicole Calderone	Sample Sub Type:	Gummy
Contact Email:	nicole@openmindedorganics.com	Package ID:	
License Number:	OCM-AUCP-22-000025	Batch Lot ID:	0109-02-002
Medical/Adult Use:	Adult Use	Batch Size:	1150
Sampling Date:	07/23/2024 09:00:00 AM	Serving Size (g):	4.25

Potency	T	Pesticides	P	Heavy Metals	P	Mycotoxins	P
Water Activity	P	Microbiological	P	Residual Solvents	P	Terpenes	P
		Moisture	-	Filth & Foreign Material	-		

"-" = Not Tested; "T" = Tested; "P" = Pass; "F" = Fail

Cannabinoids: B-OMOL-NO-FIBL23-10THC-APG-0003 (20240723-OMOLAU-002)

Potency analysis utilizing HPLC (HPLC-UV: SOP-073-GA)

Analyte	% w/w	mg/serving	MRL (% w/w)
CBDV	< MRL	< MRL	0.001
CBDA	< MRL	< MRL	0.001
CBGA	< MRL	< MRL	0.001
CBG	0.008	0.326	0.001
CBD	< MRL	< MRL	0.001
THCV	< MRL	< MRL	0.001
CBN	< MRL	< MRL	0.001
D9-THC	0.214	9.081	0.001
D8-THC	< MRL	< MRL	0.001
D10-THC-S	< MRL	< MRL	0.001
D10-THC-R	< MRL	< MRL	0.001
CBC	< MRL	< MRL	0.001
THCA	< MRL	< MRL	0.001

MRL = Minimum reporting limit/limit of quantification
mg/serving = % w/w x10 x serving size weight (g)

Test ID: #68601 | Date Tested: 07/26/2024 09:48 AM

Potency Summary	% w/w	mg/serving
Total THC [Δ^8 -THC + Δ^9 -THC + Δ^{10} -THC + (THCA * 0.877)]	0.214	9.081
Total CBD [CBD + (CBDA * 0.877)]	< MRL	< MRL
Total Cannabinoids	0.222	9.407



Green Analytics NY, LLC
401 North Middletown Road, Building 60B
Pearl River, NY 10965
www.greenanalyticsllc.com
License #s: OCMPPCL-00013
ISO 17025 Certificate No.: 4356.09

Terpenes: B-OMOL-NO-FIBL23-10THC-APG-0003 (20240723-OMOLAU-002)

Terpenes analysis utilizing GC-MS (GC-MS: SOP-063-GA, SOP-069-GA)

Analyte	Result (% w/w)	MRL (% w/w)
alpha-Pinene	< MRL	0.10
Camphene	< MRL	0.10
Sabinene	< MRL	0.10
beta-Pinene	< MRL	0.10
beta-Myrcene	< MRL	0.10
Alpha-phellandrene	< MRL	0.10
Carene	< MRL	0.10
alpha-terpinene	< MRL	0.10
p-Cymene	< MRL	0.10
Limonene	< MRL	0.10
Eucalyptol	< MRL	0.10
Ocimene	< MRL	0.07
gamma-Terpinene	< MRL	0.10
Sabinene Hydrate	< MRL	0.10
Terpinolene	< MRL	0.10
Linalool	< MRL	0.10
Fenchol	< MRL	0.10
Menthol	< MRL	0.10
Terpineol	< MRL	0.10
Citronellol	< MRL	0.10
Isopulegol	< MRL	0.10
Geraniol	< MRL	0.10
Alpha-cedrene	< MRL	0.08
Beta-Caryophyllene	< MRL	0.10
Farnesene	< MRL	0.10
alpha-Humulene	< MRL	0.10
Valencene	< MRL	0.10
cis-Nerolidol	< MRL	0.04
trans-Nerolidol	< MRL	0.06
Caryophyllene oxide	< MRL	0.10
Guaial	< MRL	0.10
alpha-Bisabolol	< MRL	0.10

MRL = Minimum reporting limit/limit of quantification

Test ID: #68607 | Date Tested: 07/29/2024 11:45 AM

Terpenes Summary	Result	Limit	Pass/Fail
Total Terpenes (% w/w)	< MRL	10	PASS



Green Analytics NY, LLC
401 North Middletown Road, Building 60B
Pearl River, NY 10965
www.greenanalyticsllc.com
License #s: OCMPPCL-00013
ISO 17025 Certificate No.: 4356.09

Residual Solvents: B-OMOL-NO-FIBL23-10THC-APG-0003 (20240723-OMOLAU-002)

PASS

Residual solvents and processing chemicals analysis utilizing Headspace Gas Chromatography – Mass Spectrometry (GC-MS: SOP-067-GA, SOP-010-GA)

Analyte	Pass/Fail	Result (µg/g)	Limit (µg/g)	MRL (µg/g)
1,2-Dichloroethane	PASS	< MRL	5	0.223
2-Propanol	PASS	< MRL	5000	33.475
Acetone	PASS	< MRL	5000	6.695
Acetonitrile	PASS	< MRL	410	2.745
Butanes, total	PASS	< MRL	5000	33.475
Benzene	PASS	< MRL	2	0.045
Chloroform	PASS	< MRL	60	0.402
Dichloromethane	PASS	< MRL	600	4.017
Dimethyl Sulfoxide	PASS	< MRL	5000	60.256
Ethanol	PASS	2200.2	5000	33.475
Ethyl acetate	PASS	< MRL	5000	33.475
Ethyl ether	PASS	< MRL	5000	33.475
n-Heptane	PASS	< MRL	5000	33.475
Hexanes, total	PASS	< MRL	290	1.942
Methanol	PASS	< MRL	3000	20.085
Pentanes, total	PASS	< MRL	5000	33.475
Propane	PASS	< MRL	5000	33.475
Tetrafluoroethane (1,1,1,2-) (HFC-134a)	PASS	< MRL	1000	108.460
Toluene	PASS	< MRL	890	5.959
Trichloroethane	PASS	< MRL	1500	60.256
Xylenes, total	PASS	< MRL	2170	14.528

MRL = Minimum reporting limit/limit of quantification

Test ID: #68606 | Date Tested: 07/27/2024 05:44 AM



Green Analytics NY, LLC
401 North Middletown Road, Building 60B
Pearl River, NY 10965
www.greenanalyticsllc.com
License #s: OCMPPCL-00013
ISO 17025 Certificate No.: 4356.09

Pesticides: B-OMOL-NO-FIBL23-10THC-APG-0003 (20240723-OMOLAU-002) PASS

Residual pesticide analysis utilizing Liquid Chromatography - Mass Spectrometry (LC-MS/MS: SOP-062-GA, SOP-070-GA)

Analyte	Pass/Fail	Result (µg/g)	Limit (µg/g)	MRL (µg/g)
Abamectin	PASS	< MRL	0.50	0.100
Acephate	PASS	< MRL	0.40	0.100
Acequinocyl	PASS	< MRL	2.00	0.100
Acetamiprid	PASS	< MRL	0.20	0.100
Aldicarb	PASS	< MRL	0.40	0.100
Azadirachtin	PASS	< MRL	1.00	0.250
Azoxystrobin	PASS	< MRL	0.20	0.100
Bifenazate	PASS	< MRL	0.20	0.100
Bifenthrin	PASS	< MRL	0.20	0.100
Boscalid	PASS	< MRL	0.40	0.100
Captan	PASS	< MRL	1.00	0.500
Carbaryl	PASS	< MRL	0.20	0.100
Carbofuran	PASS	< MRL	0.20	0.100
Chlorantranilprole	PASS	< MRL	0.20	0.100
Chlordane	PASS	< MRL	1.00	0.250
Chlorfenapyr	PASS	< MRL	1.00	0.050
Chlormequat chloride	PASS	< MRL	1.00	0.100
Chlorpyrifos	PASS	< MRL	0.20	0.100
Clofentezine	PASS	< MRL	0.20	0.100
Coumaphos	PASS	< MRL	1.00	0.100
Cyfluthrin	PASS	< MRL	1.00	0.100
Cypermethrin	PASS	< MRL	1.00	0.100
Daminozide	PASS	< MRL	1.00	0.100
Diazinon	PASS	< MRL	0.20	0.100
Dichlorvos	PASS	< MRL	1.00	0.100
Dimethoate	PASS	< MRL	0.20	0.100
Dimethomorph	PASS	< MRL	1.00	0.100
Ethoprophos	PASS	< MRL	0.20	0.100
Etofenprox	PASS	< MRL	0.40	0.100
Etoxazole	PASS	< MRL	0.20	0.100
Fenhexamid	PASS	< MRL	1.00	0.100
Fenoxycarb	PASS	< MRL	0.20	0.100
Fenpyroximate	PASS	< MRL	0.40	0.100
Fipronil	PASS	< MRL	0.40	0.100
Flonicamid	PASS	< MRL	1.00	0.100
Fludioxonil	PASS	< MRL	0.40	0.100
Hexythiazox	PASS	< MRL	1.00	0.100
Imazalil	PASS	< MRL	0.20	0.100
Imidacloprid	PASS	< MRL	0.40	0.100
Indole-3-butyric acid	PASS	< MRL	1.00	0.250
Kresoxim-methyl	PASS	< MRL	0.40	0.100
Malathion	PASS	< MRL	0.20	0.100
Metalaxyl	PASS	< MRL	0.20	0.100
Methiocarb	PASS	< MRL	0.20	0.100
Methomyl	PASS	< MRL	0.40	0.100
Methyl Parathion	PASS	< MRL	0.20	0.050
Mevinphos	PASS	< MRL	1.00	0.100
MGK-264 I/II	PASS	< MRL	0.20	0.100
Myclobutanil	PASS	< MRL	0.20	0.100
Naled	PASS	< MRL	0.50	0.100
Oxamyl	PASS	< MRL	1.00	0.100
Paclobutrazol	PASS	< MRL	0.40	0.100
Pentachloronitrobenzene	PASS	< MRL	1.00	0.250
Permethrins, total	PASS	< MRL	0.20	0.100
Phosmet	PASS	< MRL	0.20	0.100
Piperonyl butoxide	PASS	< MRL	2.00	0.100
Prallethrin	PASS	< MRL	0.20	0.100
Propiconazole	PASS	< MRL	0.40	0.100
Propoxur	PASS	< MRL	0.20	0.100
Pyrethrins	PASS	< MRL	1.00	0.100
Pyridaben	PASS	< MRL	0.20	0.100
Spinetoram, Total	PASS	< MRL	1.00	0.100
Spinosad, Total	PASS	< MRL	0.20	0.100
Spiromesifen	PASS	< MRL	0.20	0.100
Spirotetramat	PASS	< MRL	0.20	0.100
Spiroxamine	PASS	< MRL	0.20	0.100
Tebuconazole	PASS	< MRL	0.40	0.100
Thiacloprid	PASS	< MRL	0.20	0.100
Thiamethoxam	PASS	< MRL	0.20	0.100
Trifloxystrobin	PASS	< MRL	0.20	0.100

MRL = Minimum reporting limit/limit of quantification

Test ID: #68605 | Date Tested: 07/27/2024 08:16 AM



Green Analytics NY, LLC
401 North Middletown Road, Building 60B
Pearl River, NY 10965
www.greenanalyticsllc.com
License #s: OCMPPCL-00013
ISO 17025 Certificate No.: 4356.09

Mycotoxins: B-OMOL-NO-FIBL23-10THC-APG-0003 (20240723-OMOLAU-002) PASS				
Mycotoxin analysis utilizing Liquid Chromatography - Mass Spectrometry (LC-MS/MS: SOP-062-GA, SOP-070-GA)				
Analyte	Pass/Fail	Result (µg/g)	Limit (µg/g)	MRL (µg/g)
Ochratoxin	PASS	< MRL	0.02	0.010
Total Aflatoxins	PASS	< MRL	0.02	0.010
MRL = Minimum reporting limit/limit of quantification			Test ID: #68604 Date Tested: 07/27/2024 08:17 AM	

Heavy Metals: B-OMOL-NO-FIBL23-10THC-APG-0003 (20240723-OMOLAU-002) PASS				
Heavy Metals analysis utilizing Inductively Coupled Plasma Mass Spectrometry (ICP-MS: SOP-061-NY, SOP-072-GA)				
Analyte	Pass/Fail	Result (µg/g)	Limit (µg/g)	MRL (µg/g)
Chromium	PASS	< MRL	1100.0	8.00
Nickel	PASS	< MRL	20.0	1.00
Copper	PASS	< MRL	300.0	8.00
Arsenic	PASS	< MRL	1.5	0.10
Cadmium	PASS	< MRL	0.5	0.10
Antimony	PASS	< MRL	120.0	1.00
Mercury	PASS	< MRL	3.0	0.05
Lead	PASS	< MRL	0.5	0.20
MRL = Minimum reporting limit/limit of quantification			Test ID: #68602 Date Tested: 07/25/2024 10:04 AM	

Microbiological Screen: B-OMOL-NO-FIBL23-10THC-APG-0003 (20240723-OMOLAU-002) PASS				
Microbial analysis utilizing quantitative Polymerase Chain Reaction and microbial enumeration (qPCR; SOP-700-NY, SOP-701-NY)				
Analyte	Pass/Fail	Results (CFU/g)	Limit (CFU/g)	MRL (CFU/g)
Total Aerobic Bacteria	PASS	30	10000	10
Total Yeast & Mold	PASS	< MRL	1000	10
Salmonella spp	PASS	Absent	Absent	1
Shiga toxin-producing E. coli	PASS	Absent	Absent	1
Aspergillus (fumigatus, flavus, niger, terreus)	PASS	Absent	Absent	1
MRL = Minimum reporting limit/limit of quantification			Test ID: #68603 Date Tested: 07/26/2024 07:43 AM	

Water Activity: B-OMOL-NO-FIBL23-10THC-APG-0003 (20240723-OMOLAU-002) PASS				
Water activity analysis utilizing a chilled mirror dew point sensor (SOP-059-GA)				
Analyte	Pass/Fail	Result (a _w)	Limit (a _w)	
Water Activity	PASS	0.73	0.85	
MRL = Minimum reporting limit/limit of quantification			Test ID: #68608 Date Tested: 07/25/2024 09:36 AM	



Matthew Elmes
Lab Director
7/29/2024

